

References

1. M. G. Voronkov, V. I. Lavrent'yev, "Polyhedral Oligosilsesquioxanes and Their Homo Derivatives," *Top. Curr. Chem.* **102**, 199-236 (1982).
2. R.H. Baney, M. Itoh, A. Sakakibara, T. Suzuki, "Silsesquioxanes," *Chem. Rev.*, **95**, 1409-30 (1995).
3. A. Provatas, J.G. Matison, "Synthesis and applications of silsesquioxanes," *Trends Polym. Sci.* **5**, 327-33 (1997).
4. D.A. Loy, K.J. Shea, "Bridged Polysilsesquioxanes. Highly Porous Hybrid Organic-Inorganic Materials," *Chem. Rev.*, **95**, 1431-42 (1995).
5. J. Lichtenhan, "Silsesquioxane-based Polymers," in *Polymeric Materials Encyc.*, J.C. Salamone Ed. Vol. 10, CRC Press, N.Y., **1996**, 7768-77.
6. R.M. Laine, "Nano-building blocks based on the $[\text{OSiO}_{1.5}]_8$ silsesquioxanes," *J. Mater. Chem.*, **15**, 3725-44 (2005).
7. a. D. Hoebbel, W. Wieker, "Die Konstitution des Tetramethylammoniumsilicats der Zusammensetzung $1,0 \text{ N}(\text{CH}_3)_4\text{OH} \cdot 1,0 \text{ SiO}_2 \cdot 8,0-8,3 \text{ H}_2\text{O}$," *Z. für anorg. allg. Chem.* **384**, 43-52 (1971). b. Yu. I. Smolin, *Sov. Phys. Crystallogr.* **15**, 23-5 (1970).
8. D. Hoebbel, W. Wieker, P. Franke, A. Otto, "Zur Konstitution des neuen Silicatanions $[\text{Si}_{10}\text{O}_{25}]_{10}^-$," *Z. für anorg. allg. Chem.* **418**, 35-44 (1975).
9. I. Hasegawa, S. Sakka, "Silicate Species with Cagelike Structure in Solutions and Rapid Solidification with Organic Quaternary Ammonium Ions, in *Zeolite Synthesis*," ACS Symp. Ser. **398**, ed. by M.L. Occelli and H.E. Robson, American Chemical Society, Washington, DC, 1989, pp. 140-51.
10. D. Hoebbel, G. Garzó, G. Engelhardt, R. Ebert, E. Lippmaa, M. Alla, "Über die Silicatanionenkonstitution in Tetraethylammoniumsilicaten und ihren wäßrigen Lösungen," *Z. für anorg. allg. Chem.* **465**, 15-33 (1975). First report of the hexasilicate.
11. R.K. Harris, C.T.G. Knight, "Silicon-29 NMR Studies of Aqueous Silicate Solutions," Part IV. Tetraalkylammonium hydroxide solutions," *J. Molec. Structure* **78**, 273-8 (1982).
12. D. Hoebbel, A. Vargha, G. Engelhardt, K. Ujszászy, "Zum Anionenaufbau von Tetra-n-butylammoniumsilicaten und ihren wäßrigen Lösungen," *Z. für anorg. allg. Chem.* **509**, 85-94 (1984). nBu_4N at low 0.8-1.0 concentrations gives deca, at higher than 1:4 six forms
13. R. Stodolski, D. Heidemann, W. Wieker, W. Pilz, "Thermische Zersetzung von Afwillit $\text{Ca}_3(\text{SiO}_3\text{OH})_2 \cdot 2 \text{ H}_2\text{O}$," *Z. für anorg. allg. Chem.* **527**, 150-60 (1985). Concentrated TEAmmonium gives hexa whereas tetrapropyl gives broad distribution of ions.
14. F. Schlenkrich, O. Rademacher, H. Scheler, "Vergleichende Untersuchungen zur Silicatanionenkonstitution in $[(\text{Ethyl})_n(2\text{-hydroxyethyl})_{4-n}\text{ammonium}]\text{-Silicat}$ lösungen mit n von 3 bis

- 1 und zum Einfluß von Alkalihydroxid,” *Z. für anorg. allg. Chem* **547**, 109-117 (1987).
Where N = 1 to 3, at higher choline more OSA, with some alkali destroys the equilibria.
15. I. Hasegawa, S. Sakka, K. Kuroda, C. Kato, “The Effect of Tetramethylammonium Ions on the Distribution of Silicate Species in the Methanolic Solutions,” *J. Mol. Liq.* **34**, 307-15 (1987).
 16. I. Hasegawa, S. Sakka, K. Kuroda, C. Kato, “The Effect of Sodium Ions on the Distribution of Silicate Anions in Tetramethylammonium Silicate Aqueous Solutions,” *Bull. Institute Chem. Res. Kyoto University*, **65**, 5-6 (1987).
 17. I. Hasegawa, S. Sakka, “Rapid Solidification of (2-Hydroxyethyl)trimethylammonium Silicate,” *Chem. Lett.* 1319-22 (1988).
 18. F. Schlenkrich, O. Rademacher, H. Scheler, “On the Silicate Constitution in mixtures of tetraethylammonium-triethyl-(2-hydroxyethyl)ammonium silicate solutions and triethyl-(2-hydroxypropyl)ammonium - triethyl-(2-hydroxyethyl)ammonium silicate solutions. Formation of crystalline double-ring silicate hydrates, *Z. für anorg. allg. Chem* **582**, 169-178 (1990). Concentration of D4R increases with with ratios closer to 1:1 N:Si
 19. R.K. Harris, C.T.G. Knight, W.E. Hull, “Nature of Species Present in Aqueous Potassium Silicate Solutions,” *J. Amer. Chem. Soc.* **103**, 1577-8 (1981).
 20. a. A. Firouzi, F. Atef, A.G. Oertli, G.D. Stucky, B.F. Chmelka, “Alkaline Lyotropic Silicate-Surfactant Liquid Crystals,” *J. Am. Chem. Soc.* **119**, 9466-77 (1997). b. A. Firouzi, D.J. Schaefer, S.H. Tolbert, G.D. Stucky, B.F. Chmelka, “Magnetic-Field-Induced Orientational Ordering of Alkaline Lyotropic Silicate-Surfactant Crystals,” *J. Am. Chem. Soc.* **119**, 9466-77 (1997) and references therein.
 21. C.T.G. Knight, “Are zeolite secondary building units really red herrings?, *Zeolite*, **10** 140-4 (1990).
 22. M.Z. Asuncion, I. Hasegawa, J. Kampf, R.M. Laine, “The selective dissolution of rice hull ash to form $[\text{OSiO}_{1.5}]_8[\text{R}_4\text{N}]_8$ (R = Me, $\text{CH}_2\text{CH}_2\text{OH}$) octasilicates. Basic nanobuilding blocks and possible models of intermediates formed during biosilification processes,” *Materials Chemistry* **15**, 2114-21 (2005).
 23. T. Kudo, M. Gordon, “Exploring the Mechanism for the Synthesis of Silsesquioxanes. 3. The Effect of Substituents and Water,” *J. Phys. Chem A.*, 2002, **106**, 11347-11353
 24. T. Kudo, M. Gordon, “Exploring the Mechanism for the Synthesis of Silsesquioxanes. 2. Cyclosiloxanes (D_3 and D_4),” *J. Phys. Chem. A.*, 2000, **104**, 4058-4063.
 25. T. Kudo, M. Gordon, “Theoretical Studies of the Mechanism for the Synthesis of Silsesquioxanes. 1. Hydrolysis and Initial Condensation,” *J. Am. Chem. Soc.*, 1998, **120**, 11432-11438.

26. M. Wiebcke, J. Emmer, J. Felsche, "Structural links between zeolite-type and clathrate hydrate-type materials: strands of small clusters of water molecules interconnect oligomeric silicate $[\text{Si}_8\text{O}_{18}(\text{OH})_2]^{6-}$ anions to generate the 3D host structure of the heteronetwork clathrate $[\text{DMPI}]_6[\text{Si}_8\text{O}_{18}(\text{OH})_2] \cdot 48.5\text{H}_2\text{O}$ (DMPI = 1,1-dimethylpiperidinium)," *J. Chem. Soc., Chem. Commun.* 1604-5 (1993).
27. G. Bissert, F. Liebau, "Crystal structure of $[\text{N}(\text{n-C}_4\text{H}_9)_4]\text{H}_7[\text{Si}_8\text{O}_{20}] \cdot 5.33\text{H}_2\text{O}$ a zeolite A-like double ring silicate with protonated water clusters $[\text{H}_{41}\text{O}_{16}]^{9+}$," *Z. Kristallogr.* **179**, 357-71 (1987).
28. C.W. Lentz, "Silicate Minerals as Sources of Trimethylsilyl Silicates and Silicate Structure Analysis of Sodium Silicate Solutions," *Inorg. Chem.* **3**, 574-9 (1964).
29. P.A. Agaskar, "Facile, High-Yield Synthesis of Functionalized Spherosilicates: Precursors of Novel Organolithic Macromolecular Materials," *Inorg. Chem.* **29**, 1603 (1990).
30. D. Hoebbel, I. Pitsch, T. Reiher, W. Hiller, H. Jancke, D. Müller, "Synthese, Aufbau und Eigenschaften käfigartiger vinyl- und allylsilylieter Kieselsäuren, *Z. Anorg. Allg. Chem.* **576** 160-8 (1989).
31. D. Hoebbel, I Pitsch, H. Wolf, S. Dathe, E. Popowski, G. Sonnek, T. Reiher, H. Janacke, U. Schelm, "Organophile Doppelringkieselsäurederivate mit käfigartigen Structure, Verfahren zu Ihrer Herstellung und Ihre Verwendung, European Patent, EP 0 348 705 A2 Aug. 1989.
32. a. R. Weidner, N. Zeller, B. Deubzer, V. Frey, "Organooligosilsesquioxanes," U.S. Patent 5,047,492 Sept. 1991. b. R. Weidner, N. Zeller, B. Deubzer, V. Frey, "Neue Organooligosilsesquioxanes," German Patent 3837397 Oct. 1990.
33. C. Freyer, J. Wolferseder, Udo, Peetz, "Organosiliciumverbindungen mit käfigartiger Struktur," European Patent 0 624 591 A1 Nov. 1994.
34. D. Hoebbel, C. Weber, H. Schmidt, R-P. Krüger, "Synthesis and Properties of Perfluoroalkyl Groups Containing Double Four-Ring Spherosilicate (Siloxysilsesquioxane) Precursors, *J. Sol-Gel Sci. and Tech.*, **24**, 121-9 (2002).
35. P.G. Harrison, R. Kannengiesser, C.J. Hall, "High Yield Routes to Hexa(dimethylsilyloxy)silsesquioxane and Hexa(bromodimethylsilyloxy)silsesquioxane," *Main Group Met. Chem.* **20**, 137-40 (1997).
36. N. Auner, B. Ziemer, B. Herrschaft, W. Ziche, P. John, J. Weiss, "Structural Studies of Novel Siloxysilsesquioxanes," *Eur. J. Inorg. Chem.* 1087-1094 (1999).
37. D. Hoebbel, K. Endres, T. Reinert, I. Pitsch, "Inorganic-organic polymers derived from functional silicic acid derivatives by additive reaction," *J. Non-crystal. Sol.* **176**, 179-88 (1994).
38. F-H. Kreuzer, R. Maurer, P. Spes, "Liquid-Crystalline Silsesquioxanes," *Makromol. chem.. Macromol. Symp.* **50**, 215-28 (1991).

39. G.H. Mehl, J.W. Goodby, "Liquid-Crystalline, Substituted Octakis(dimethylsiloxy)octasil-sesquioxanes: Oligomeric Supramolecular Materials with Defined Topology," *Angewandte Chem.* **35**, 2641-3 (1996).
40. I.M. Saez, J.W. Goodby, "Supramolecular liquid crystal dendrimers based on the octasilses-quioxane core," *Liq. Cryst.* **26**, 1101-5(1999).
41. A. Sellinger, R.M. Laine, V. Chu, C. Viney, "Palladium and Platinum Catalyzed Coupling Reactions of Allyloxy Aromatics with Hydridosilanes and Hydridosiloxanes: Novel Liquid Crystalline/Organosilane Materials," *J. Polymer Science, Part A: Polymer Chemistry*, **32** 3069-89 (1994).
42. C. Zhang, T.J. Bunning, R.M. Laine, "Synthesis and Characterization of Liquid Crystalline (LC) Silsesquioxanes," *Chem. of Mater.*; **13**; 3653-62 (2001).
43. C. Zhang, "Synthesis and Characterization of Octasilsesquioxane Based Molecular Compos-ite Precursors with Potential Applications as Dental Restoratives," Ph.D. Dissertation, Uni-versity of Michigan, 1999.
44. I. Hasegawa, T. Niwa, T. Takayama, "Substitution of the dimethylsilyl group in $\text{Si}_8\text{O}_{20}[\text{Si}(\text{CH}_3)_2\text{H}]_8$ for another silyl group," *Inorg. Chem. Comm.* **8** 159-161 (2005).
45. P. Jutzi, C. Batz, A. Mutluay, "Eightfold Functionalization of the Octasilsesquioxane Core," *Verlag der Zietschrift für Naturforschung*, 1689 (1994).
46. See for example, J.F. Valliant, O.O. Sogbein, P. Morel, P. Schaffer, K.J. Guenther, A.D. Bain, "Synthesis, NMR, and X-ray Crystallographic Analysis of C-Hydrazino-C-Carboxycarboranes: Versatile Ligands for the Preparation of BNCT and BNCS Agents and $^{99\text{m}}\text{Tc}$ Radiopharmaceuticals," *Inorg. Chem.* **41**, 2731-7 (2002).
47. G.E. Southard, M.D. Curtis, Synthesis and Characterization of Soluble Poly(ferrocenyl-enearylene)s from Condensation of Dilithio Bis(alkylcyclopentadienide)arenes with Iron(II) Halides: A General Route to Conjugated Poly(metalocene)s," *Organomet.* **20** 508-22 (2001) and references therein.
48. M. Moran, C.M. Casado, I. Cuadrado, J. Losada, "Ferrocenyl Substituted Octakis(di-methylsiloxy)octasilsesquioxanes: A New Class of Surpamolecular Organometallic Com-pounds. Synthesis, Characterization, and Electrochemistry, *Organomet.* **12**, 4327-33 (1993).
49. A. Sellinger, R.M. Laine, "Silsesquioxanes as Synthetic Platforms. Thermally and Photo Curable Inorganic/Organic Hybrids," *Macromol.* **29**, 2327-30 (1996).
50. C. Zhang and R.M. Laine "Hydrosilylation of allyl alcohol with $[\text{HSiMe}_2\text{OSiO}1.5]_8$. Octa (3-hydroxypropyldimethylsiloxy)octasilsesquioxane and its octamethacrylate derivative as po-tential precursors to hybrid nanocomposites," *J. Am. Chem. Soc.* **122**, 6979-88 (2000).

51. O. Toepfer, D. Neumann, N.R. Choudhury, A. Whittaker, J. Matisons, "Organic-Inorganic Poly(Methyl Methacrylate) Hybrids with Confined Polyhedral Oligosilsesquioxane Macromonomers," *Chem. Mater.* **17**, 1027-35 (2005).
52. I. Hasegawa, R.M. Laine, M. Asuncion, N. Takamura, "Facile Synthesis of the Cubeoctameric Silicate Anion, $\text{Si}_8\text{O}_{20}^{8-}$, its dimethylsilyl derivative, $\text{Si}_8\text{O}_{20}[\text{Si}(\text{CH}_3)_2\text{H}]_8$ and certain derivatives therefrom," U.S. Patent 2005/0142054, June 30, 2005
53. Advances in Controlled/Living Radical Polymerization K. Matyjaszewski Ed., Amer. Chem. Soc.: W. D. C. (Distributed by Oxford University Press). 2003.
54. R.O. R. Costa, W.L. Vasconcelos, R. Tamaki, R.M. Laine, "Organic/Inorganic Nanocomposite Star Polymers via Atom Transfer Radical Polymerization of Methyl Methacrylate Using Octafunctional Silsesquioxane Cores," *Macromol.*, **34**, 5398-407, (2001).
55. J. Pyun, K. Matyjaszewski, T. Kowalewski, D. Savin, G. Patterson, G. Kickelbick, N. Hue-sing, "Synthesis of Well-Defined Block Copolymers Tethered to Polysilsesquioxane Nanoparticles and Their Nanoscale Morphology on Surfaces," *J. Am. Chem. Soc.* **123** 9445-6 (2001).
56. F.J. Feher, D. Soulivong, A.G. Eklund, K.D. Wyndham, "Cross-methathesis of alkenes with vinyl-substituted silsesquioxanes and spherosilicates: a new method for synthesizing highly-functionalized Si/O frameworks, *Chem. Comm.* 1185-7 (1997).
57. D. Neumann, M. Fisher, L. Tran, J.G. Matisons, "Synthesis and Characterization of an Isocyanate Functionalized Polyhedral Oligosilsesquioxane and the Subsequent Formation of an Organic-Inorganic Hybrid Polyurethane," *J. Am. Chem. Soc.* **124** 13998-99 (2002).
58. C. Zhang, F. Babonneau, C. Bonhomme, R.M. Laine, C.L. Soles, H.A. Hristov, A.F. Yee, "Highly Porous Polyhedral Silsesquioxane Polymers. Synthesis and Characterization," *J. Am. Chem. Soc.* **120**, 8380-91 (1998).
59. R. M. Laine, J. Choi, I. Lee, "Organic-Inorganic Nanocomposites with Completely Defined Interfacial Interactions," *Adv. Mater.* **13**, 800-3 (2001).
60. J. Choi, J. Harcup, A.F. Yee, Q. Zhu, R.M. Laine, "Organic/inorganic hybrid composites from cubic silsesquioxanes," *J. Am. Chem. Soc.* **123**, 11420-30 (2001).
61. J. Choi, A.F. Yee, R.M. Laine, "Organic/Inorganic Hybrid Composites from Cubic Silsesquioxanes. Epoxy Resins of Octa(dimethylsiloxyethylcyclohexylepoxyde) Silsesquioxane, *Chem. Mater.* **15**, 5666 – 82 (2003).
62. J. Choi, S.G. Kim and R.M. Laine, "Organic/Inorganic Hybrid Epoxy Nanocomposites from Aminophenylsilsesquioxanes," *Macromol.* **37**, 99–109 (2004).
63. J. Choi, A.F. Yee, R.M. Laine, "Toughening of cubic silsesquioxane epoxy nanocomposites using core shell rubber particles; a three component hybrid system," *Macromol.* **37**, 3267-76 (2004).

64. D. Hoebbel, I. Pitsch, D. Heidemann, "Inorganic organic polymers with defined silicic acid units," in Eurogel '91, S. Vilminot, R. Nass, H. Schmidt eds, Elsevier Sci. Publ. 1992, 467-473.
65. P.G. Harrison, R. Kannengiesser, "Porous materials derived from trigonal-prismatic $[\text{Si}_6\text{O}_9]$ and cubane $[\text{Si}_8\text{O}_{12}]$ cage monomers," Chem. Comm. 415 (1996).
66. M. Seino, Y. Kawakami, "Selective Vinyl Functionalization of Octakis(dimethylsiloxy)octasilsesquioxane with Allylbenzene and 1,5-Hexadiene and Copolymerization with Allylbenzene and 1,5-Hexadiene and Copolymerization of the products with Bis(dimethylsilylbenzene)," Poly. J. **36**, 422-9 (2004).
67. C.V. Nguyen, K.R. Carter, C.J. Hawker, J.L. Hedrick, R.L. Jaffe, R.D. Miller, J.F. Remenar, H.-W. Rhee, P.M. Rice, M.F. Toney, M. Trollsas, D.Y. Yoon, "Low-Dielectric, Nanoporous Organosilicate Films Prepared via Inorganic/Organic Polymer Hybrid Templates," Chem. Mater. **11**, 3080-5 (1999).
68. N. Takamura, L. Viculis, R.M. Laine "A completely discontinuous organic/inorganic hybrid nanocomposite based on reactions of $[\text{HMe}_2\text{SiOSiO}_{1.5}]_8$ with vinylcyclohexene," submitted.
69. R.M. Laine, L. Viculis, N. Takamura, K. Shinotani, "Self-curing silsesquioxane macromonomers for the solvent free processing of high temperature and air stable, transparent films." patent pending.
70. S.A. Pellice, D.P. Fasce, R.J.J. Williams, "Properties of epoxy networks derived from the reaction of diglycidyl ether of bisphenol A with polyhedral oligomeric silsesquioxanes bearing OH-functionalized organic substituents. J. Poly. Sci. B-Polymer Physics, **41** 1451-61 (2003).
71. J.C. Huang, Y. Xiao, K.Y. Mya, X.M. Liu, C.B. He, J. Dai, Y.P. Siow, "Thermomechanical properties of polyimide-epoxy nanocomposites from cubic silsesquioxane epoxides," J. Mater. Chem. **14** 2858-63 (2004.)
72. K.Y. Mya, C.B. He, J.C. Huang, Y. Xiao, J. Dai, Y.P. Siow, "Preparation and thermomechanical properties of epoxy resins modified by octafunctional cubic silsesquioxane epoxides," J. Poly. Sci. A-Polymer Chemistry, **42** 3490-503 (2004.).
73. H-C. Lin, S-W Kuo, C-F Huang, F-C. Chang, "Thermal and Surface Properties of Phenolic Nanocomposites Containing Octaphenol Polyhedral Oligomeric Silsesquioxane," Macromol. Rapid Commun. **27**, 537-41 (2006).